International Journal of Optoelectronics, 1994, volume 9, number 6, pages 511–513

Author index

Aguilar, M., Serrano, E., López, V., Carrascosa, M., and Agulló-López, F., Photorefractive materials for real-time processing: cycling behaviour, 379
Agulló-López, F., *see* Aguilar, M.
Ahmed, I., and Andonovic, I., Design and simulation of a fibre-optic edge enhancement network, 89
Ainslie, B. J., *see* Maxwell, G. D.
Al-Ani, S. K. J., *see* Ibrahim, A.
Almeida, R. M., Sol–gel silica films on silicon substrates, 135
Andonovic, I., *see* Ahmed, I.
Andonovic, L., *see* Hunter, D. K.
Archambault, J.-L., *see* Xu, M. G.
Awrach, J. M., and Fiddy, M. A., Light activated logic element for optical neural network, 111
Ayliffe, P., Parker, J., Bertolini, S., Clapp, T., Geear, M., Harrison, P., and Peall, R., The hybrid integration of optical and electronic components on silicon, 179

Bailey, S. A., Jones, C. A., Nield, M. W., Cooper, K., Hall, I. P., and Thurlow, A. R., Recent advances in fibre-to-fibre and fibre-to-waveguide interconnect technology, 171
Bailey, S., *see* Lewandowski, J.
Bandyopadhyay, S., and Datta, A. K., Optoelectronic implementation of a winner-take-all model of hetero-associative memory, 391
Baranauskas, V., *see* Grivickas, V.
Barras, D. B., *see* Ghassemlooy, Z.
Basarab, I., *see* Ghassemlooy, Z.
Basmaji, P., *see* Grivickas, V.
Battiato, J., *see* Murdocca, M.
Bellerby R., *see* Grant, M. F.
Berger, D., *see* Murdocca, M.
Bernussi, A., *see* Grivickas, V.
Bertolini, S., *see* Ayliffe, P.
Burtsev, V. S., Application of optical methods of information processing in a supercomputer architecture, 489
Bussjager, R., *see* Murdocca, M.

Caccavale, F. *see* Gonella, F.
Campbell, R. J., and Kashyap, R., Invited review. The properties and applications of photosensitive germanosilicate fibre, 33
Cannell, G. J., *see* Grant, M. F.
Carrascosa, M., *see* Aguilar, M.
Chaubey, V. K., and Dey, K. K., Frequency response of four-layer planar optical waveguides for orthogonally polarized modes, 399
Chen, Caisheng, *see* Zhang, Shuqun
Clapp, T., *see* Aycliffe, P.
Collins, J. V., *see* Maxwell, G. D.
Cook, P., *see* Murdocca, M.
Cooper, K., *see* Bailey, S. A.
Crespo, R. D., *see* Fernández, S.
Cusworth, S. D., *see* Senior, J. M.

Dakin, J. P., *see* Xu, M. G.
Datta, A. K., *see* Bandyopadhyay, S.
Dawson, P., *see* Sellai, A.
Day, S., *see* Grant, M. F.
Demokan, M. S., *see* Leung, F. Y. C.
Dey, K. K., *see* Chaubey, V. K.

Esener, S. C., *see* Kiamilev, F.

Farrar, N., *see* Ghassemlooy, Z.
Fernández, J. M., *see* Fernández, S.
Fernández, S., Palacios, S. L., Crespo, R. D., Fernández, J. M., Rodríguez, J., and Olivares, J., Asymptotic effective index method to analyse single-mode optical waveguides, 385
Fernández de Caleya, R., López-Amo, M., and Martín-Pereda, J. A., Low cost time division multiplexing of identical optical fibre ring intensity sensors, 81
Fiddy, M. A., *see* Awrach, J. M.
Friedman, L., *see* Soref, R. A.
Futagi, Toshiro, *see* Mimura, Hidenori
Fyath, R. S., Sayhood, K. H., and Suheal, G. A., Impact of laser phase noise on the performance of a multichannel optical homodyne PSK system, 3
Fyathy, R. S., and Sayhhod, K. H., Receiver analysis for optical homodyne QPSK transmission systems, 325

Gamble, H. S., *see* Sellai, A.
Geear, M., *see* Ayliffe, P.
Ghassemlooy, Z., Grattan, K. T. V., Barras, D. B., Basarab, I., and Farrar, N., Design parameters in a fluorescence-based flow sensor scheme using fibre optics, 275
Gonella, F., Caccavale, F., and Quaranta, A., Secondary ion mass spectrometry applied to the study of ion-exchanged glass waveguides with a few modes, 359
Grant, M., *see* Lewandowski, J.
Grant, M. F., Day, S., Bellerby, R., Wensley, P. R., Rosser, S. A., Cannell, G. J. Wilson, I. W., and Lambert, N. J., Low-cost $M \times N$ couplers in silica-on-silicon for passive optical networks, 159
Grattan, K. T. V., *see* Ghassemlooy, Z.
Grattan, K. T. V., *see* Weir, K.
Grivickas, V., Baranauskas, V., Rodriges, C. R., Basmaji, P., and Misoguti, L., Atomic force microscopy studies on various types of photoluminescent porous silicon, 303
Grivickas, V., Bernussi, A., Basmaji, P., Matvienko, B., and Kolenda, J. Degradation of luminescence and fatigue effects in porous silicon, 311
Gualous, H., Koster, A., Pascal, D., and Laval, S., NOR optical logic gate array: fan-in and fan-out measurements, 471
Guppy, R. M., *see* McCulloch, S.

Hall, I. P., *see* Bailey, S. A.
Harrison, P., *see* Ayliffe, P.

Hunter, D. K., and Andonovic, L., Guided wave optical switch architectures—Part 1: Space switching, 477

Ibrahim, A., and Al-Ani, S. K. J., Models of optical absorption in amorphous semiconductors at the absorption edge—a review and re-evaluation, 25
Ilev, I., an Koprinkov, I., High efficiency wideband beam-splitter mirror for optical fibre reflectometry, 285
Ishikawa, Masatoshi, *see* Kirk, A. G.,

Jones, C. A., *see* Bailey, S. A.
Joyce, B. A., *see* Ohtani, N.

Kashyap, R., *see* Campbell, R. J.
Kashyap, R., *see* Maxwell, G. D.
Katsuno, Masakazu, *see* Mimura, Hidenori
Kiamilev, F., Stevens, E., Krishnamoorthy, A. V., and Esener, S. C., Modular architectures for optoelectronic multistage interconnection networks, 457
Kirk, A G., Tabata, Tomohito, and Ishikawa, Masatoshi, Programmable diffractive optical interconnections for cellular processing applications, 13
Kitamura, Koichi, *see* Mimura, Hidenori
Kobyakov, A. E., *see* Torchigin, V. P.
Kolenda, J., *see* Grivickas, V.
Koprinkov, I., *see* Ilev, I.
Koster, A., *see* Gualous, H.
Krishnamoorthy, A. V., *see* Kiamilev, F.
Kumar, A., Varshney, R. K., and Pilevar, S., Coupling characteristics of a twin high-elliptic-core fibre-optic polarization beam splitter, 297

Lambert, N. J., *see* Grant, M. F.
Laval, S., *see* Gaulous, H.
Leeson, M. S., The effects of material and manufacturing parameters on the performance of Franz–Keldysh Effect Optical Reflection Modulators, 405
Leung, F. Y. C., and Demokan, M. S. Colour recognition by fibre-optic sensing, 367
Lewandowski, J., Syms, R. R. A., Grant, M., and Bailey, S., Controlled formation of buried-channel waveguides by electron beam irradiation of glassy layers on silicon, 143
López, V., *see* Aguilar, M.
López-Amo, M., *see* Fernández de Caleya, R.
Löffler, W., and Reichel, F., The measurement of particle-size distribution using the method of optical incoherent space–frequency analysis, 441
Löffler, W., *see* Reichel, F.

Manykin, E. A., *see* Zhakharov, S. M.
Martín-Pereda, J. A., *see* Fernández de Caleya, R.
Matsumoto, Takahiro, *see* Mimura, Hidenori
Matvienko, B., *see* Grivickas, V.
Maxwell, G. D., Ainslie, B. J., Williams, D. L., Kashyap, R., and Collins, J. V., Photosensitivity in planar silica waveguides, 289
McCafferty, P. G., *see* Sellai, A.
McCulloch, S., Stewart, G. Guppy, R. M., and Norris, J. O. W., Characterisation of TiO_2–SiO_2 sol–gel films for optical–chemical sensor applications, 235

Melehy, M. A., Thermodynamic theory of conduction in p–n homojunction and heterojunction structures—Part 1: Interactions of dynamic Processes in the presence of photons, 59
Mimura, Hidenori, Futagi, Toshiro, Matsumoto, Takahiro, Katsuno, Masakazu, Ohta, Yasumitsu, and Kitamura, Koichi, Visible electroluminescence from μc–SiC/porous Si/c–Si p–n junctions, 211
Misoguti, L., *see* Grivickas, V.
Mitra, H., *see* Pal, B. B.
Mokler, S. M., *see* Ohtani, N.
Moss, S. E., *see* Senior, J. M.
Mottier, P., Integrated optics at the Laboratoire d'Electronique, de Technologie et d'Instrumentation, 125
Murdocca, M., Battiato, J., Berger, D., Bussjager, R. Cook, P., Nahata, H. R., and Stone, T., Reconfigurable architecture based on selective enabling of microlasers, 415
Murtaza, G., and Senior, J. M., Referenced intensity-based optical fibre sensors, 339

Nahata, H. R., *see* Murdocca, M.
Nakamura, Shiro, *see* Yanagawa, Hisaharu
Nield, M. W., *see* Bailey, S. A.
Norris, J. O. W., *see* McCulloch, S.

O'Mahony, M. J., *see* Yao, J.
Odinokov, S. B., and Petrov, A. V., Analysis of the computational accuracy of the optoelectronic matrix-vector multiplier, 315
Ohta, Yasumitsu, *see* Mimura, Hidenori
Ohtani, N., Mokler, S. M., Xie, M. H. Zhang, J., Zhang, X., and Joyce, B. A., Growth of $Si_{1-x}Ge_x$ heterostructures using gas-source molecualr beam epitaxy, 193
Ohyama, Isao, *see* Yanagawa, Hisaharu
Olivares, J., *see* Fernández, S.

Pal, B. B. Mitra, H., and Singh, S., Effect of concentration-dependent carrier mobility and lifetime on the optically controlled characteristics of an HEMT device, 243
Palacios, S. L., *see* Fernández, S.
Palmer, A. W., *see* Weir, K.
Parker, J., *see* Ayliffe, P.
Pascal, D., *see* Gualous, H.
Peall, R., *see* Ayliffe, P.
Peiffer, W., Thienpont, H., Pelt, M., and Veretennicoff, I., Polarisation-controlled module for reconfigurable nearest-neighbour optical interconnects and image shifting, 263
Pelt, M., *see* Peiffer, W.
Petrov, A. V., *see* Odinokov, S. B.
Pilevar, S., *see* Kumar, A.

Quaranta, A., *see* Gonella, F.

Raza, S. H., *see* Sellai, A.
Reekie, L., *see* Xu, M. G.
Reichel, F., and Löffler, W., Optical space frequency analysis for real-time pattern recognition, 99
Reichel, F., *see* Löffler, W.
Rodriges, C. R., *see* Grivickas, V.
Rodríguez, J., *see* Fernández, S.
Rosser, S. A., *see* Grant, M. F.

Sayhood, K. H., *see* Fyath, R. S.
Sellai, A., McCafferty, P. G., Dawson, P., Raza, S. H., and Gamble, H. S., Surface mode enhanced photocurrent from PtSi/n-Si Schottky barrier detectors, 65
Senior, J. M., Moss, S. E., and Cusworth, S. D., LED spectral slicing: modelling of interchannel crosstalk and slice optical power content, 227
Senior, J. M., Moss, S. E., and Cusworth, S. D., Spectrally sliced WDM sensor networks: improved topologies to increase sensor numbers, 425
Senior, J. M., *see* Murtaza, G.
Serrano, E., *see* Aguilar, M.
Shimizu, Takeo, *see* Yanagawa, Hisaharu
Shore, K. A., *see* Wong, Y. C. A.
Singh, S., *see* Pal, B. B.
Soref, R. A., and Friedman, L., Electro-optical modulation in $Si_{1-x}Ge_x$/Si and related heterostructures, 205
Stevens, E., *see* Kiamilev, F.
Stewart, G., *see* McCulloch, S.
Stone, T., *see* Murdocca, M.
Suheal, G. A., *see* Fyath, R. S.
Syms, R. R. A., *see* Lewandowski, J.

Tabata, Tomohito, *see* Kirk, A. G.
Thienpont, H., *see* Peiffer, W.
Thurlow, A. R., *see* Bailey, S. A.
Torchigin, V. P., and Kobyakov, A. E., Optical computer with time-, wavelength- and space-division multiplexing, 251

Ueki, K., *see* Yanagawa, Hisaharu

Varshney, R. K., *see* Kumar, A.
Veretennicoff, I., *see* Peiffer, W.

Weir, K., Palmer, A. W., and Grattan, K. T. V., Accurate measurement of small displacement using optical techniques, 449
Wensley, P. R., *see* Grant, M. F.
Wiliams, D. L., *see* Maxwell, G. D.
Wilson, I. W., *see* Grant, M. F.
Wong, Y. C. A., and Shore, K. A., Nonlinear distortions of DFB laser diodes due to power-dependent loss and leakage current, 349

Xie, M. H., *see* Ohtani, N.
Xu, M. G., Archambault, J.-L., Reekie, L., and Dakin, J. P., Thermally-compensated bending gauge using surface-mounted fibre gratings, 281

Yanagawa, Hisaharu, Shimizu, Takeo, Nakamura, Shiro, Ueki, K., and Ohyama, Isao, Silica-based star-coupler planar lightwave circuit for passive double-star network, 151
Yao, J., and O'Mahony, M. J., Experimental study of semiconductor laser amplifiers for photonic time and space switching applications, 219

Zakharov, S. M., and Manykin, E. A., Simultaneous optical image processing by photon echoes, 333
Zhang, J., *see* Ohtani, N.
Zhang, Shuqun, and Chen, Caisheng, Optical fuzzy logic processing systems: architectures and applications, 71
Zhang, X., *see* Ohtani, N.